



## Issue 1 (published March 2018)

### Editors' choice

**Marie K. Hörnig, Carolin Haug, Joerg W. Schneider, and Joachim T. Haug**

Evolution of reproductive strategies in dictyopteran insects—clues from ovipositor morphology of extinct roachoids . . . . . 1–24

**Ashley W. Poust and Robert W. Boessenecker**

Expanding the geographic and geochronologic range of early pinnipeds: New specimens of *Enaliarctos* from Northern California and Oregon . . . . . 25–40

### Articles

**Victoria J. García Muro, Claudia V. Rubinstein, and Philippe Steemans**

Late Silurian palynomorphs from the Precordillera of San Juan, Argentina: Diversity, palaeoenvironmental and palaeogeographic significance . . . . . 41–61

**Marcelo G. Carrera, Juan Jose Rustán, N. Emilio Vaccari, and Miguel Ezpeleta**

A new Mississippian hexactinellid sponge from the western Gondwana: Taxonomic and paleobiogeographic implications. . . . . 63–70

**José Francisco Baeza-Carratalá, Fernando Pérez-Valera, and Juan Alberto Pérez-Valera**

The oldest post-Paleozoic (Ladinian, Triassic) brachiopods from the Betic Range, SE Spain . . . . . 71–85

**Haijing Sun, John M. Malinky, Maoyan Zhu, and Diying Huang**

Palaeobiology of orthothecide hyoliths from the Cambrian Manto Formation of Hebei Province, North China . . . . . 87–101

**Ben T. Kligman, Adam D. Marsh, and William G. Parker**

First records of diapsid *Palacrodon* from the Norian, Late Triassic Chinle Formation of Arizona, and their biogeographic implications . . . . . 117–127

**Matthew G. Baron and Megan E. Williams**

A re-evaluation of the enigmatic dinosauriform *Caseosaurus crosbyensis* from the Late Triassic of Texas, USA and its implications for early dinosaur evolution . . . . . 129–145

**Cecily S.C. Nicholl, Philip D. Mannion, and Paul M. Barrett**

Sauropod dinosaur remains from a new Early Jurassic locality in the Central High Atlas of Morocco . . . . . 147–157

**Carlos A. Luna, Ignacio A. Cerda, Alfredo E. Zurita, Romina Gonzalez, M. Cecilia Prieto, Dimila Mothe, and Leonardo S. Avilla**

Distinguishing Quaternary glyptodontine cingulates in South America: How informative are juvenile specimens? . . . . . 159–170

**Vladimir S. Zashigin and Leonid L. Voyta**

A new middle Miocene crocidoloricine shrew from the Mongolian Shargain Gobi Desert . . . . . 171–187

**Alexander Averianov, Igor Danilov, Wen Chen, and Jianhua Jin**

A new brontothere from the Eocene of South China . . . . . 189–196

### Brief report

**Qiang Yang, Pierre Gueriau, Sylvain Charbonnier, Dong Ren, and Olivier Béthoux**

A new tealliocaridid crustacean from the Late Carboniferous of North China and its biogeographic implications . . . . . 111–116

### Discussion

**José A. Gámez Vintaned and Andrey Y. Zhuravlev**

Comment on “*Aysheaia prolata* from the Utah Wheeler Formation (Drumian, Cambrian) is a frontal appendage of the radiodontan *Stanleycaris*” by Stephen Pates, Allison C. Daley, and Javier Ortega-Hernández. . . . . 103–104

**Stephen Pates, Allison C. Daley, and Javier Ortega-Hernández**

Reply to Comment on “*Aysheaia prolata* from the Utah Wheeler Formation (Drumian, Cambrian) is a frontal appendage of the radiodontan *Stanleycaris*” with the formal description of *Stanleycaris*. . . . . 105–110

## Issue 2 (published June 2018)

### Editors' choice

**Elsa Panciroli, Roger B.J. Benson, and Richard J. Butler**

New partial dentaries of amphitheriid mammal *Palaeoxonodon ooliticus* from Scotland, and posterior dentary morphology in early cladotherians . . . . . 197–206

**Jacob A. McCartney, Eric M. Roberts, Leif Tapanila, and Maureen A. O’Leary**

Large palaeophiid and nigerophiid snakes from Paleogene Trans-Saharan Seaway deposits of Mali . . . . . 207–220

**Steffen Kiel**

Three new bivalve genera from Triassic hydrocarbon seep deposits in southern Turkey . . . . . 221–234

### Articles

**M. Carolina Madozzo-Jaén, M. Encarnación Pérez, Claudia I. Montalvo, and Rodrigo L. Tomassini**

Systematic review of *Neocavia* from the Neogene of Argentina: Phylogenetic and evolutionary implications . . . . . 241–260

<b>Mariana Viglino, Mónica R. Buono, Carolina S. Gutstein, Mario A. Cozzuol, and José I. Cuitiño</b> A new dolphin from the early Miocene of Patagonia, Argentina: Insights into the evolution of Platanistoidea in the Southern Hemisphere . . . . .	261–277
<b>Sarah J. Boessenecker, Robert W. Boessenecker, and Jonathan H. Geisler</b> Youngest record of the extinct walrus <i>Ontocetus emmonsii</i> from the Early Pleistocene of South Carolina and a review of North Atlantic walrus biochronology . . . . .	279–286
<b>Davide Foffa, Mark T. Young, and Stephen L. Brusatte</b> Filling the Corallian gap: New information on Late Jurassic marine reptile faunas from England . . . . .	287–313
<b>Carlos de Miguel Chaves, Francisco Ortega, and Adán Pérez-García</b> Cranial variability of the European Middle Triassic sauropterygian <i>Simosaurus gaillardoti</i> . . . . .	315–326
<b>Victor Voichyshyn and Hubert Szaniawski</b> New ischnacanthiform jaw bones from the Lower Devonian of Podolia, Ukraine . . . . .	327–339
<b>Larisa A. Doguzhaeva, Arnaud Brayard, Nicolas Goudeband, Laurel J. Krumenacker, James F. Jenks, Kevin G. Bylund, Emmanuel Fara, Nicolas Olivier, Emmanuelle Vennin, and Gilles Escarguel</b> An Early Triassic gladius associated with soft tissue remains from Idaho, USA—a squid-like coleoid cephalopod at the onset of Mesozoic Era . . . . .	341–355
<b>Mathias Harzhauser, Thomas A. Neubauer, and İzzet Hoşgör</b> Oligocene–Miocene freshwater gastropods from the Oltu-Narman Basin in eastern Turkey . . . . .	357–369
<b>Kazutaka Amano, Crispin T.S. Little, and Kathleen A. Campbell</b> Lucinid bivalves from Miocene hydrocarbon seep sites of eastern North Island, New Zealand, with comments on Miocene New Zealand seep faunas . . . . .	371–382
<b>Alfred Uchman, Andrzej Gaździcki, and Błażej Błażejowski</b> Arthropod trace fossils from Eocene cold climate continental strata of King George Island, West Antarctica . . . . .	383–396
<b>Josefina Bodnar, Juan Martín Drovandi, Eduardo Manuel Morel, and Daniel Gustavo Ganuza</b> Middle Triassic dipterid ferns from west-central Argentina and their relationship to palaeoclimatic changes . . . . .	397–416
<b>Brief report</b>	
<b>Jerry J. Hooker</b> Eocene antiquity of the European nyctitheriid euarchontan mammal <i>Darbonetus</i> . . . . .	235–239

## Issue 3 (published September 2018)

### Editors' choice

<b>Magdalena Borsuk-Bialynicka</b> Diversity of diapsid fifth metatarsals from the Lower Triassic karst deposits of Czatkowice, southern Poland —functional and phylogenetic implications . . . . .	417–434
<b>John S. Lapolla and Phillip Barden</b> A new aneuretine ant from the Paleocene Paskapoo Formation of Canada . . . . .	435–440

### Articles

<b>Maia Bukhsianidze and Kakhaber Koiava</b> Synopsis of the terrestrial vertebrate faunas from the Middle Kura Basin (Eastern Georgia and Western Azerbaijan, South Caucasus) . . . . .	441–461
<b>Junya Watanabe, Hiroshige Matsuoka, and Yoshikazu Hasegawa</b> Pleistocene non-passeriform landbirds from Shiriya, northeast Japan . . . . .	469–491
<b>Jacqueline M.T. Nguyen, Michael Archer, and Suzanne J. Hand</b> Quail-thrush birds from the Miocene of northern Australia . . . . .	493–502
<b>Łucja Fostowicz-Frelik and Justyna Słowiak</b> Bone histology of <i>Protoceratops andrewsi</i> from the Late Cretaceous of Mongolia and its biological implications . . . . .	503–517
<b>Pavel P. Skutschas, Veniamin V. Kolchanov, Alexander O. Averianov, Thomas Martin, Rico Schellhorn, Petr N. Kolosov, and Dmitry D. Vitenko</b> A new relict stem salamander from the Early Cretaceous of Yakutia, Siberian Russia . . . . .	519–525
<b>Vladimir N. Makarkin, Sonja Wedmann, and Thomas Weiterschan</b> The first green lacewings from the late Eocene Baltic amber . . . . .	527–537
<b>Valentin Nidergas, Jiří Hadrava, Romain Garrouste, Jakub Prokop, Thomas Schubnel, and André Nel</b> The first pipizine hoverfly from the Oligocene of Céreste, France . . . . .	539–548
<b>Alexander V. Khramov, William A. Shear, Randy Mercurio, and Dmitry Kopylov</b> The first Permian centipedes from Russia . . . . .	549–555
<b>Steffen Kiel and Marco Taviani</b> Chemosymbiotic bivalves from the late Pliocene Stirone River hydrocarbon seep complex in northern Italy . . . . .	557–568
<b>Steffen Kiel, Marco Sami, and Marco Taviani</b> A serpulid- <i>Anodontia</i> -dominated methane-seep deposit from the Miocene of northern Italy . . . . .	569–577

<b>Rossana Sanfilippo, Antonietta Rosso, Agatino Reitano, Viola Alfio, and Gianni Insacco</b> New serpulid polychaetes from the Permian of western Sicily . . . . .	579–584
<b>Anna A. Madison</b> Morphology and ontogeny of some Middle Ordovician gonambonitid brachiopods from Baltoscandia . . . . .	585–594
<b>Lorenzo Consorti and Koorosh Rashidi</b> A new evidence of passing the Maastichtian–Paleocene boundary by larger benthic foraminifers: The case of <i>Elazigina</i> from the Maastrichtian Tarbur Formation of Iran. . . . .	595–605
<b>Patricio E. Santamarina, Viviana D. Barreda, Ari Iglesias, and Augusto N. Varela</b> Salvinialean megaspores in the Late Cretaceous of southern Patagonia, Argentina . . . . .	607–616
<b>Brief report</b>	
<b>Stephen J. Godfrey, Mike Ellwood, Stephen Groff, and Michael Scott Verdin</b> <i>Carcharocles</i> -bitten odontocete caudal vertebrae from the Coastal Eastern United States . . . . .	463–468

## Issue 4 (published December 2018)

### Editors' choice

<b>Michael O'Sullivan and David M. Martill</b> Pterosauria of the Great Oolite Group (Bathonian, Middle Jurassic) of Oxfordshire and Gloucestershire, England . . . . .	617–644
--	---------

### Articles

<b>Víctor Adrián Pérez-Crespo, César A. Laurito, Joaquín Arroyo-Cabrales, Ana L. Valerio, Pedro Morales-Puente, Edith Cienfuegos-Alvarado, and Francisco J. Otero</b> Feeding habits and habitat of herbivorous mammals from the Early–Late Hemphillian (Miocene) of Costa Rica . . . . .	645–652
<b>Júlio C.A. Marsola, Jonathas S. Bittencourt, Átila A.S. Da Rosa, Agustín G. Martinelli, Ana Maria Ribeiro, Jorge Ferigolo, and Max C. Langer</b> New sauropodomorph and cynodont remains from the Late Triassic <i>Sacisaurus</i> site in southern Brazil and its stratigraphic position in the Norian Caturrita Formation . . . . .	653–669
<b>Shukang Zhang, Tzu-Ruei Yang, Zhengqi Li, and Yongguo Hu</b> New dinosaur egg material from Yunxian, Hubei Province, China resolves the classification of dendroolithid eggs . . . . .	671–678
<b>José I. Canudo, José L. Carballido, Alberto Garrido, and Leonardo Salgado</b> A new rebbachisaurid sauropod from the Aptian–Albian, Lower Cretaceous Rayoso Formation, Neuquén, Argentina. . . . .	679–691
<b>Marcos G. Becerra, Ariana Paulina-Carabajal, Penélope Cruzado-Caballero, and Jeremías R.A. Taborda</b> First endocranial description of a South American hadrosaurid: The neuroanatomy of <i>Secernosaurus koerneri</i> from the Late Cretaceous of Argentina. . . . .	693–702
<b>Grzegorz Niedźwiedzki and Ewa Budziszewska-Karwowska</b> A new occurrence of the Late Triassic archosaur <i>Smok</i> in southern Poland. . . . .	703–712
<b>Tiane Macedo de Oliveira, Daniel Oliveira, Cesar L. Schultz, Leonardo Kerber, and Felipe L. Pinheiro</b> Tanystropheid archosauromorphs in the Lower Triassic of Gondwana . . . . .	713–723
<b>Michal Ginter</b> The dentition of a eugeneodontiform shark from the Lower Pennsylvanian of Derbyshire, UK. . . . .	725–735
<b>Ludmila A.C. Prado, Javier Luque, Alcina M.F. Barreto, and A. Richard Palmer</b> New brachyuran crabs from the Aptian–Albian Romualdo Formation, Santana Group of Brazil: Evidence for a Tethyan connection to the Araripe Basin . . . . .	737–750
<b>Frida Hybertsen and Steffen Kiel</b> A middle Eocene seep deposit with silicified fauna from the Humptulips Formation in western Washington State, USA. . . . .	751–768
<b>Igor N. Kosenko</b> The origin of the Pycnodontinae and relationship between gryphaeas and true pycnodontes . . . . .	769–778
<b>Samuel Zamora, Marcos Aurell, Margaret Veitch, James Saulsbury, Mikel A. López-Horgue, Fernando A. Ferratges, José Antonio Arz, and Tomasz K. Baumiller</b> Environmental distribution of post-Palaeozoic crinoids from the Iberian and south-Pyrenean basins, NE Spain. . . . .	779–794
<b>Viviana Frisone, Andrzej Pisera, Nereo Preto, and Wolfgang Kiessling</b> Biodiversity of museum and bulk field samples compared: The Eocene Chiampo sponge fauna, Lessini Mountains, Italy . . . . .	795–805
<b>Valerio Gennari, Marco Cherin, and Roberto Rettori</b> Systematic revision and phylogenetic assessment of the foraminiferal family Globivalvulinidae . . . . .	807–814
<b>Bárbara Vento and Federico A. Agraín</b> Phylogenetic relationships and time-calibration of the South American fossil and extant species of southern beeches ( <i>Nothofagus</i> ) . . . . .	815–825
<b>Book review</b>	
<b>Rafal Nawrot: Conservation informed by the fossil record. . . . .</b>	736
<b>Contents of Volume 63 . . . . .</b>	826–828