Silurian synziphosurine horseshoe crab *Pasternakevia* revisited

Wiesław Krzemiński, Ewa Krzemińska, and Dariusz Wojciechowski

Acta Palaeontologica Polonica 55 (1), 2010: 133-139 doi: <http://dx.doi.org/10.4202/app.2008.0074>

The synziphosurine horseshoe crab *Pasternakevia* was until now known only from a single specimen. Herein we describe three new specimens from the outcrop close to the type locality of monotypic *P. podolica* that show several features that were unknown or only assumed in this genus. These characters include: a smooth surface of the carapace; an opisthosoma composed of ten segments, the first one being a microtergite (strongly reduced first opisthosomal segment usually hidden under the carapace), two or three last segments fused into a metasoma, and the telson. *Pasternakevia* is included in Bunodidae due to a hypertrophied tergite 2, but it is linked to the Pseudoniscidae by the shape of the opisthosoma.

Key words: Arthropoda, Xiphosura, Bunodidae, *Pasternakevia*, microtergite, phylogeny, Silurian, Ukraine.

Wiesław Krzemiński, Ewa Krzemińska [krzeminska@isez.pan.krakow.pl], and Dariusz Wojciechowski, Institute of Systematics and Evolution of Animals, Polish Academy of Sciences; ul. Sławkowska 17, 31-016 Kraków, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

[Full text \(595.6 kB\)](#)