

On some Oligocene carnivorous mammals from Central Asia

Brigitte Lange-Badre and Demberlyin Dashzeveg Acta Palaeontologica Polonica 34 (2), 1989: 125-148

Among the Oligocene mammal-bearing deposits of Central Asia, two are very famous: Ergilin Dzo and Shand Gol Svitas in which terrestrial predaceous mammals are represented by Creodonta and Carnivora. On the basis of isolated teeth and fragmentary jaws, five previously known species of *Hyaenodon* are identified: *H. eminus*, *H. cf. gigas*, *H. incertus*, *H* . *mongoliensis* and *H. pervagus*, the latter being figured for the first time. Carnivora are poorly represented with two taxa, *Palaeogale sectoria* and *Amphicynodon teilhardi* from the Shand Gol Svita only. The affinities of the different species of these three genera with those from North America and Western Europe are debated. Stratigraphic and palaeogeographic implications are considered from their relationships.

Key words: Mammalia, Creodonta, Carnivora, *Hyaenodon, Palaeogale, Amphicynodon*, Systematics, Oligocene, Kazakhstan, Mongolia, China.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see <u>creativecommons.org</u>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Full text (1,489.1 kB)