A giant skull of the temnospondyl *Xenotosuchus africanus* from the Middle Triassic of South Africa and its ontogenetic implications

Ross Damiani

Acta Palaeontologica Polonica 53 (1), 2008: 75-84 doi:<http://dx.doi.org/10.4202/app.2008.0104>

A previously unreported large skull of the mastodonsaurid temnospondyl *Xenotosuchus africanus*, from the *Cynognathus* Assemblage Zone (Early to Middle Triassic) of the Beaufort Group, Karoo Basin of South Africa, is described. The species is plesiomorphic in most aspects of its cranial anatomy, and only one autapomorphy is tentatively identified herein, namely contact between the left and right exoccipitals posterior to the parasphenoid. The new specimen permits recognition of a growth series for *X. africanus* from sub-adult (all previously known specimens) to fully adult (new specimen) stages. Ontogenetic changes associated with this include changes in skull proportions, and changes in the morphology of the lacrimal flexure, frontal, postfrontal, cultriform process and body of the parasphenoid, and the transvomerine tooth row.

Key words: Temnospondyli, *Xenotosuchus africanus*, ontogeny, variation, Triassic, South Africa.

Ross Damiani rossano1973@gmail.com, Staatliches Museum für Naturkunde Stuttgart, Rosenstein 1, D-70191 Stuttgart, Germany.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.