

## A new dolphin from the early Miocene of Patagonia, Argentina: Insights into the evolution of Platanistoidea in the Southern Hemisphere

Mariana Viglino, Mónica R. Buono, Carolina S. Gutstein, Mario A. Cozzuol, and José I. Cuitiño  
*Acta Palaeontologica Polonica* 63 (2), 2018: 261-277 doi:<https://doi.org/10.4202/app.00441.2017>

The contents of the superfamily Platanistoidea, an early-diverging lineage comprising extinct species and a single extant representative of South Asian river dolphin (*Platanista gangetica*), remain controversial. We describe here a partial skull and associated tympano-periotic bones identified as a new genus and species, *Aodelphis talen* gen. et sp. nov., collected in the lower levels of the Gaiman Formation (early Miocene), in Patagonia (Chubut Province, Argentina). *Aodelphis* is the first Patagonian platanistoid species named in almost a century. Phylogenetic analyses suggest *Aodelphis talen* gen. et sp. nov. and a taxon from New Zealand (cf. *Papahu* ZMT-73) are basal Platanistoidea sensu lato. Unambiguous synapomorphies related to the ear bones allowed us to determine its phylogenetic position. *Aodelphis talen* markedly differs from the other well-known early Miocene Patagonian platanistoid *Notocetus*, suggesting the coexistence of at least two different morphotypes that may have occupied different ecological niches at that time. The putative close relationship with a species from New Zealand indicates there was a rapid diversification and widespread distribution of the group in the Southern Hemisphere during the early Miocene. The description of new species and revision of historical records of Patagonian platanistoids can help shedding light on cetacean assemblages of the Patagonian sea during this epoch.

**Key words:** Mammalia, Platanistoidea, evolution, Miocene, Gaiman Formation, Argentina, Chubut Province.

Mariana Viglino [[viglino@cenpat-conicet.gob.ar](mailto:viglino@cenpat-conicet.gob.ar)]; Mónica R. Buono [[buono@cenpat-conicet.gob.ar](mailto:buono@cenpat-conicet.gob.ar)], and José I. Cuitiño [[jcuítino@cenpat-conicet.gob.ar](mailto:jcuítino@cenpat-conicet.gob.ar)], Instituto Patagónico de Geología y Paleontología, CONICET, Puerto Madryn, U9120ACD, Chubut, Argentina. Carolina S. Gutstein [[sgcarolina@gmail.com](mailto:sgcarolina@gmail.com)], Red Paleontológica U.Chile, Laboratorio de Ontogenia y Filogenia, Departamento de Biología, Facultad de Ciencias, Universidad de Chile, Ñuñoa, 8320000, Santiago, Chile. Área Patrimonio Natural, Consejo de Monumentos Nacionales, Providencia, 7500000, Santiago, Chile. Mario A. Cozzuol [[mario.cozzuol@gmail.com](mailto:mario.cozzuol@gmail.com)], Departamento de Zoología, Instituto de Ciências Biológicas, Universidade Federal de Minas Gerais, 31270-910, Pampulha, Belo Horizonte, Minas Gerais, Brazil.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see [creativecommons.org](http://creativecommons.org)), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

-  [Full text \(742.4 kB\)](#) |  
 [Supplementary file \(1,715.6 kB\)](#)