

A new oviraptorosaur (Dinosauria, Theropoda) from Mongolia: The first dinosaur with a pygostyle

Rinchen Barsbold, Halszka Osmólska, Mahito Watabe, Philip J. Currie, and Khishigjaw Tsogtbaatar
Acta Palaeontologica Polonica 45 (2), 2000: 97-106

A description of *Nomingia gobiensis* gen. et sp. n., the first known dinosaur with a pygostyle, the structure known so far only in birds, is presented. The specimen comes from the Late Cretaceous strata at Bugin Tsav, Trans-Altai Gobi, Mongolia. *N. gobiensis* is assigned within the Oviraptorosauria based on the following characters: pneumatized caudal vertebrae, posteriorly concave ischium, and deep cervicodorsal hypapophyses. This specimen has been previously partially described without being formally named (Barsbold et al. 2000).

Key words: Dinosauria, Theropoda, Oviraptorosauria, Late Cretaceous, Gobi Desert, Mongolia.

Rinchen Barsbold [barsgeodin@magicnet.mn] and Khishigjaw Tsogtbaatar, Institute of Geology, Mongolian Academy of Sciences, Enkh Taivani Gudamji, Ulan Bator 210351, Mongolia. Halszka Osmólska [osm@twarda.pan.pl], Instytut Paleobiologii PAN, ul. Twarda 51/55, PL-00-818 Warszawa, Poland. Mahito Watabe [wmahito@pa2.so-net.ne.jp], Hayashibara Museum of Natural Sciences, Shimoishii 1-2-3, Okayama 700-0907, Japan. Philip J. Currie [PCurrie@mcd.gov.ab.ca], Royal Tyrrell Museum of Palaeontology, Box 7500, Drumheller, Alberta T0J 0Y0, Canada.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.