

Lingulate brachiopods from Lower Ordovician (Tremadoc) chalcidites, Holy Cross Mountains, Poland

Lars E. Holmer and Gertruda Biernat

Acta Palaeontologica Polonica 47 (1), 2002: 141-156

Lingulate brachiopods from chalcidites of Tremadoc age are redescribed based on new material from the Holy Cross Mountains, Poland. The fauna includes 18 species, of which *Elliptoglossa polonica* and *Siphonotretella popovi* are new. The enigmatic *Orbiculoidea? subovalis* Biernat is redescribed as a species of the recently erected aberrant paterulids *Diencobolus* Holmer, Popov, Koneva, and Bassett. The fauna includes also *Acrotreta dissimilis* (Biernat), *?Ditreta dividua* Biernat, *Semitreta maior* Biernat, *Eurytreta minor* Biernat, *Mamatia retracta* (Popov), *Orbithele ceratopygarum* (Brögger), *Siphonobolus uralensis* (Lermontova), *Alichovia analogica* Biernat, *Pomeraniotreta* sp., *Akmolina* sp., *Rowellella* sp., *Acanthambonia* sp. A, *Acanthambonia* ? sp. B, *Leptembolon* cf. *lingulaeformis* (Mickwitz), and the earliest known species of *Eoconulus*. Most of the recorded lingulate species are endemic, but a significant number are now known also from eastern Kazakhstan and the South Urals, as well as from the Tremadoc of Sweden and Norway.

Key words: Brachiopoda, Lingulata, Lower Ordovician, Tremadoc, Holy Cross Mountains, Poland.

Lars E. Holmer [Lars.Holmer@pal.uu.se], Institute of Earth Sciences, Department of Historical Geology and Palaeontology, Norbyvägen 22, S-752 36 Uppsala, Sweden; Gertruda Biernat, Instytut Paleobiologii PAN, ul. Twarda 51/55, PL-00-818 Warszawa, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

