

New insight into the distribution and palaeobiology of the pycnodont fish *Gyrodus*

Jürgen Kriwet and Lars Schmitz *Acta Palaeontologica Polonica* 50 (1), 2005: 49-56

The pycnodont fish *Gyrodus* is reported for the first time from the Lower Cretaceous of Germany based on two lower jaw elements from the Hauterivian and Barremian. The stratigraphic and geographic distribution of *Gyrodus* is summarized. *Gyrodus* ranges from the Middle Jurassic to the Early Cretaceous making it one of the longest living pycnodonts. Unambiguous Late Cretaceous records of *Gyrodus* are still missing. *Gyrodus* displays its widest distribution and greatest taxonomic diversity in the Late Jurassic. The distribution of *Gyrodus* implies not only near-coastal mode of life but also a pelagic lifestyle conversely to most other pycnodonts. External body features and function of the unpaired fins support this interpretation.

Key words: Neopterygii, Pycnodontiformes, Gyrodus, Cretaceous, palaeobiogeography, Germany.

Jürgen Kriwet [j.kriwet@lrz.uni-muenchen.de],
Ludwig-Maximillians-University, Faculty of Geosciences, Department
of Earth and Environmental Sciences, Section of Palaeontology,
Richard-Wagner-Str. 10, 80333 Munich, Germany; Lars Schmitz [lSchmitz@geology.ucdavis.edu],
Department ofGeology, University of California, Davis, CA 95616, USA.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see <u>creativecommons.org</u>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.