

***Heckerella*, a new genus of the early Frasnian (Late Devonian) atrypid brachiopod**

Maria A. Rzonisnitskaya and Elena V. Sokiran

Acta Palaeontologica Polonica 45 (4), 2000: 425-430

A new atrypid genus *Heckerella* from early Frasnian (*Palmatolepis transitans* Zone) of northwestern East European Platform is proposed. It includes only *Heckerella heckeri*, originally referred to *Anatrypa*. The new genus is characterised by weakly paraplicate anterior commissure, well-developed carina on the ventral valve, sulcus on the dorsal valve and coarser radial ornament. *Heckerella* has restricted geographic distribution in northwestern Russia, Latvia, northeastern Lithuania where it forms high-density associations with *Pseudoatrypa velikaya*.

Key words: Atrypida, Brachiopoda, Late Devonian, East European Platform.

Maria A. Rzonisnitskaya [ysegei@mail.wplus.net], All-Russian Geological Research Institute (VSEGEI), 74 Srednii Pr., 199026 St. Petersburg, Russia;

Elena V. Sokiran [sokiran@ultra.cto.us.edu.pl], Katedra Paleontologii i Stratygrafii, Uniwersitet Śląski, ul. Będzińska 60, PL-41-200 Sosnowiec, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.